

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|---|---|--------------------|--|---|------|
| Aermacchi S.p.A (Aermacchi S.p.A) [Siai Marchetti] | F.260, F.260B, F.260C, F.260D, F.260E, F.260F | A10EU | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Aermacchi S.p.A (Aermacchi S.p.A) [Siai Marchetti] | S.205-18/F, S.205-18/R, S.205-20/F, S.205-20/R, S.205-22/R, S.208, S.208A | A9EU | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Aero Commander (Dynac Aerospace Corp) [Voltaire] | 10, 10A, 100, 100A, 100-180 | 1A21 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Aerotek II (Callair) | B-1 B-1A | A7WE | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|--|--|--------------------|--|---|------|
| Aircraft Parts & Development Corp. (Callair) | A, A-2, A-3, A-4, A-5, A-5T, A-6, A-7, A7T, A-9, A-9B | A-758 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Alexandria Aircraft (Alexandria Aircraft LLC) [Bellanca] | 17-30A, 17-31A, 17-31ATC | A18CE | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Alexandria Aircraft (Alexandria Aircraft, LLC) [Bellanca] | 14-19, 14-19-2, 14-19-3, 14-19-3A, 17-30, 17-31, 17-31TC | 1A3 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| American Champion (American Champion Aircraft Corporation) | 7ECA, 7GCAA, 7GCBC, 7KCAB | A-759 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|--|---|--------------------|--|---|------|
| American Champion (American Champion Aircraft Corporation) | 8KCAB, 8GCBC | A21CE | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| AUGUSTAIR (Morrisey, Varga) | 2150, 2150A, 2180 | 4A19 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Aviat Aircraft, Inc. (Aviat Aircraft, Inc.) [Sky International] | A-1, A-1A, A-1B, A-1C-180, A-1C-200 | A22NM | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Aviat Aircraft, Inc. (Aviat Aircraft, Inc.) [Sky International] | S-1S, S-1T, S-2, S-2A, S-2S, S-2B, S-2C | A8SO | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|---|---|--------------------|--|---|------|
| Bellanca (Bellanca Aircraft Corporation) | 14-13-2, 14-13-3W, 14-13-3, 14-13 | A-773 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Boeing (The Boeing Company) [Rockwell International] | BC-1A, AT-6 (SNJ-2), AT-6A (SNJ-3), AT-6B, AT-6C (SNJ-4), AT-6D (SNJ-5), AT-6F (SNJ-6), SNJ-7, T-6G | A-2-575 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Cessna (Reims Aviation Industries) | FR172E FR172F, FR172G, FR172H, FR172J, FR172K | A18EU | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Cessna (Reims Aviation Industries) | F172D, F172E, F172F, F172G, F172H, F172K, F172L, F172M, F172N, F172P, FP172D | A4EU | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|--|--|--------------------|--|---|------|
| Cessna (Reims Aviation Industries) | F177RG | A26EU | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Cessna (Reims Aviation Industries) | F182P, F182Q, FR182 | A42EU | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Commander (Commander Aircraft Corporation) [CPAC, Inc.] | 112, 112TC, 112B, 112TCA, 114, 114A, 114B, 114TC | A12SO | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Cub Crafters (Cub Crafters Inc.) | CC19-180 | A00053SE | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|--|---|--------------------|--|---|------|
| DeHavilland Support Limited | Beagle B.121 Series 1, Beagle B.121 Series 2, Beagle B.121 Series 3 | A22EU | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Discovery | XL-2 | A00008DE | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| EADS-PZL "Warszawa-Okecie" (EADS-PZL "Warszawa-Okecie" S.A.) | PZL-104 WILGA 80, PZL-104M WILGA 2000, PZL-104MA WILGA 2000 | A55EU | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| EADS-PZL "Warszawa-Okecie" (EADS-PZL "Warszawa-Okecie" S.A.) | PZL-KOLIBER 150A, PZL-KOLIBER 160A | A69EU | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|---|---|--------------------|--|---|------|
| Found Brothers (Found Brothers Aviation Limited) | FBA Centennial "100" | A13EA | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| FS2003 Corp. (FS 2003 Corporation) [The New Piper Aircraft, Inc.] | PA-12, PA-12S | A-780 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Fuji (Fuji Heavy Industries, Ltd) | FA-200-160, FA-200-180, FA-200-180AO | A4PC | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Helio (Helio Aircraft, LLC) | H-250, H-295 (USAF U-10D), HT-295, H-391 (USAF YL- 24), H-391B, H-395 (USAF L-28A or U-10B), H-395A, H-700, H-800 | 1A8 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|-----------------------------------|---|--------------------|--|---|------|
| Howard Aircraft Foundation | DGA-15P (Army UC-70; Navy GH-1, GH-2, GH-3, NH-1) DGA-15J (Army UC-70B) DGA-15W | A-717 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Howard Aircraft Foundation | DGA-11 | TC 672 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Howard Aircraft Foundation | DGA-9 (Army UC-70D) DGA-12 (Army UC-70A) | TC 645 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Howard Aircraft Foundation | DGA-18 DGA-18K | TC 739 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|---|----------------------------------|--------------------|--|---|------|
| Howard Aircraft Foundation | DGA-8 (Army UC-70C) | TC 612 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Interceptor (Interceptor Aircraft Inc) [Prop-Jets, Inc.; Meyers] | 200, 200A, 200B, 200C, 200D, 400 | 3A18 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| JGS (JGS Properties, LLC) [Quartz Mountain Aerospace; Luscombe Aircraft] | 11E | A-804 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Luscombe (Good Earthkeeping Organization Inc) | 8A, 8B, 8C, 8D, 8E, 8F, 8, T-8F | A-694 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|--|--|--------------------|--|---|------|
| Maule (Maule Aerospace Technology, Inc) | Bee Dee M-4, M-4, M-4C, M-4S, M4T, M-4-180C, M-4-180S, M-4- 180T, M-4-210, M4-210C, M-4-210S, M-4-210T, M-4- 220, M-4-220C, M4-220S, M-4-220T, M-5-180C, M-5- 200, M-5-210C, M5-210TC, M-5-220C, M-5-235C, M-6-180, M6-235, M-7-235, MX-7-235, MX-7-180, MX-7-420, MXT-7-180, MT-7-235, M-8-235, MX-7-160, MXT-7-160, MX-7-180A, MXT7-180A, MX-7-180B, M-7-235B, M-7-235A, M-7-235C, MX-7-180C, M-7-260, MT-7-260, M-7-260C, M-7-420AC, MX-7-160C, MX-7-180AC, M7-420A, MT-7-420, M-4-180V | 3A23 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|---|---|--------------------|--|---|------|
| Monocoupe Corporation | 90 90A 90AF 90AF-100 90AL-115 | A-306 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Mooney (Mooney Aircraft Corporation) | M22 | A6SW | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Mooney (Mooney International Corporation) [Mooney Aviation Company, Inc.; Mooney Airplane Co.; Mooney Aircraft Corporation; Aerostar Aircraft Corp] | M20, M20A, M20B, M20C, M20D, M20E, M20F, M20G, M20J, M20K, M20L, M20M, M20R, M20S | 2A3 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Nardi (Nardi S.A.) [Siai Marchetti] | FN-333 | 7A5 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|--|---|--------------------|--|---|------|
| Nardi (Nardi S.A.) [Siai Marchetti] | FN-333 | 7A5 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Navion (Sierra Hotel Aero, Inc.) | Navion (L-17A), Navion A (L-17B, L-17C), Navion B, Navion D, Navion E, Navion F, Navion G, Navion H | A-782 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Pacific Aerospace Limited. (Pacific Aerospace Ltd.) [Found Aircraft Canada, Inc] | FBA-2C, FBA-2C1 (Bush Hawk), FBA-2C2 (Bush Hawk XP) | A7EA | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Piper Aircraft, Inc. (Piper Aircraft, Inc.) | PA-16, PA-16S | 1A1 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|---|--|--------------------|--|---|------|
| Piper Aircraft, Inc. (Piper Aircraft, Inc.) | PA-18, PA-18 "105", PA-18 "125" (Army L-21A), PA-18S, PA-18S "105", PA-18S "125", PA-18AS "125", PA-18 "135" (Army L-21B), PA-18A, PA-18A "135", PA-18S "135", PA-18AS "135", PA-18 "150", PA-18A "150", PA-18S "150", PA-18AS "150", PA-19 (Army L-18C), PA-19S | 1A2 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Piper Aircraft, Inc. (Piper Aircraft, Inc.) | PA-20, PA-20S, PA-20 "115", PA-20S "115", PA-20 "135", PA-20S "135" | 1A4 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Piper Aircraft, Inc. (Piper Aircraft, Inc.) | PA-22, PA-22-108, PA-22-135, PA-22S-135, PA-22-150, PA-22S-150, PA-22-160, PA-22S-160 | 1A6 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|---|---|--------------------|--|---|------|
| Piper Aircraft, Inc. (Piper Aircraft, Inc.) | PA-24, PA-24-250, PA-24-260, PA-24-400 | 1A15 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Piper Aircraft, Inc. (Piper Aircraft, Inc.) | PA-28-140, PA-28-150, PA-28-151, PA-28-160, PA-28-161, PA-28-180, PA-28-235, PA-28S-160, PA-28R-180, PA-28S-180, PA-28-181, PA-28R-200, PA-28R-201, PA-28R-201T, PA-28RT-201, PA-28RT-201T, PA-28-201T, PA-28-236 | 2A13 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Piper Aircraft, Inc. (Piper Aircraft, Inc.) | PA-38-112 | A18SO | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|---|---|--------------------|--|---|------|
| Piper Aircraft, Inc. (Piper Aircraft, Inc.) | PA-32-260, PA-32-300, PA-32S-300, PA-32R-300, PA-32RT-300, PA-32RT-300T, PA-32R-301(SP), PA-32R-301(HP), PA-32R-301T, PA-32-301, PA-32-301T, PA-32-301FT, PA32-301XTC | A3SO | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Polskie Zakłady Lotnicze Spolka zo.o (Polskie Zakłady Lotnicze Spolka zo.o) [PZL MIELEC] | PZL M26 01 | A44CE | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Regal Air, Inc. (Cessna) | (USAF 0-1A) 305A (USAF 0-1E) 305C (USAF 0-1G) 305D 305F | 5A5 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Regal Air, Inc. (Cessna) | (Military 305B TO-1D, O-1D, O-1F) 305E | 3A14 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|--|---|--------------------|--|---|------|
| Revo, Incorporated (Lake) | COLONIAL C-1 COLONIAL C-2 LAKE LA-4 LAKE LA-4A LAKE LA-4P LAKE LA-4-200 LAKE MODEL 250 | 1A13 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Socata Morane Saulnier Rallye (SOCATA) [SOCATA - Groupe Aerospatiale] | Rallye 100S, Rallye 150ST, Rallye 150T, Rallye 235E, Rallye 235C, MS 880B, MS 885, MS 894A, MS 893A, MS 892A-150, MS 892E-150, MS 893E, MS 894E | 7A14 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Socata Morane Saulnier Rallye (SOCATA) [SOCATA - Groupe Aerospatiale] | TB 9, TB 10, TB 20, TB 21, TB 200 | A51EU | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Spartan Aircraft Company | Spartan 7W | TC 628 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|--|--|--------------------|--|---|------|
| STOL (Sky Enterprises, Inc.) [Republic Sea-Bee] | RC-3 | A-769 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Swift (Swift Museum Foundation Inc.) [Globe Aircraft Company] | GC-1A, GC-1B | A-766 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Symphony Aircraft Industries Inc. (Symphony Aircraft Industries Inc.) [OMF] | OMF-100-160, SA 160 | A46CE | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Textron Aviation (Textron Aviation Inc.) [Beechcraft] | 19A, B19, M19A, 23, A23, A23A, A23-19, A23-24, B23, C23, A24, A24R, B24R, C24R | A1CE | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|--|---|--------------------|--|--|------|
| Textron Aviation (Textron Aviation Inc.) [Beechcraft | P35, S35, V35, V35A, V35B | 3A15 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision A, Dated January 2018 Airplane Flight Manual Supplement: 103272-000, Revision IR dated 3/5/2018 Instructions for Continued Airworthiness: 103221-000, Revision IR dated 3/5/2018 | |
| Textron Aviation (Textron Aviation Inc.) [Beechcraft | 36, A36, A36TC, B36TC | 3A15 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision A, Dated January 2018 Airplane Flight Manual Supplement: 103272-000, Revision IR dated 3/5/2018 Instructions for Continued Airworthiness: 103221-000, Revision IR dated 3/5/2018 | (1) |
| Textron Aviation (Textron Aviation Inc.) [Beechcraft | 35-33, 35-A33, 35-B33, 35-C33, 35-C33A, E33, E33A, E33C, F33, F33A, F33C, G33, H35, J35, K35, M35, N35, | 3A15 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Textron Aviation (Textron Aviation Inc.) [Beechcraft | 35, A35, B35, C35, D35, E35, F35, G35 | A-777 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|---|---|--------------------|--|---|------|
| Textron Aviation (Textron Aviation Inc.) [Beechcraft] | 45 (YT-34), A45 (T-34A, B-45), D45 (T-34B) | 5A3 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Textron Aviation (Textron Aviation Inc.) [Beechcraft] | 77 | A30CE | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Textron Aviation (Textron Aviation Inc.) [Beechcraft] | D17S (Army UC-43, UC-43B, Navy GB-1, GB-2), SD17S | A-649 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Textron Aviation (Textron Aviation Inc.) [Beechcraft] | G17S | TC 779 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|---|---|--------------------|--|---|------|
| Textron Aviation Inc. (Textron Aviation Inc.) [Cessna Aircraft Company] | 140A | 5A2 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Textron Aviation Inc. (Textron Aviation Inc.) [Cessna Aircraft Company] | 120, 140 | A-768 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Textron Aviation Inc. (Textron Aviation Inc.) [Cessna Aircraft Company] | 150, 150A, 150B, 150C, 150D, 150E, 150F, 150G, 150H, 150J, 150K, A150K, 150L, A150L, 150M, A150M, 152, A152 | 3A19 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Textron Aviation Inc. (Textron Aviation Inc.) [Cessna Aircraft Company] | 170, 170A, 170B | A-799 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|---|---|--------------------|--|--|------|
| Textron Aviation Inc. (Textron Aviation Inc.) [Cessna Aircraft Company] | 172F (USAF T-41A), 172G, 172H (USAF T-41A), 172I, 172K, 172L, 172M, 172N, 172P, 172Q, 172R, 172S | 3A12 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision A, Dated January 2018 Airplane Flight Manual Supplement: 103272-000, Revision IR dated 3/5/2018 Instructions for Continued Airworthiness: 103221-000, Revision IR dated 3/5/2018 | |
| Textron Aviation Inc. (Textron Aviation Inc.) [Cessna Aircraft Company] | 172, 172A, 172B, 172C, 172D, 172E | 3A12 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Textron Aviation Inc. (Textron Aviation Inc.) [Cessna Aircraft Company] | 175, 175A, 175B, 175C, P172D, R172E (USAF T-41B), (USAF T-41C or D), R172F (USAF T-41D), R172G (USAF T-41C or D), R172H (USAF T-41D), R172J, 172RG, R172K | 3A17 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Textron Aviation Inc. (Textron Aviation Inc.) [Cessna Aircraft Company] | 177, 177A, 177B | A13CE | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|---|---|--------------------|--|---|------|
| Textron Aviation Inc. (Textron Aviation Inc.) [Cessna Aircraft Company] | 177RG | A20CE | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Textron Aviation Inc. (Textron Aviation Inc.) [Cessna Aircraft Company] | 180, 180A, 180B, 180C, 180D, 180E, 180F, 180G, 180H, 180J, 180K | 5A6 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Textron Aviation Inc. (Textron Aviation Inc.) [Cessna Aircraft Company] | 182, 182A, 182B, 182C, 182D, 182E, 182F, 182G, 182H, 182J, 182K, 182L, 182M, 182N, 182P, 182Q, 182R, 182S, 182T, R182, T182, TR182, T182T | 3A13 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Textron Aviation Inc. (Textron Aviation Inc.) [Cessna Aircraft Company] | 185, 185A, 185B, 185C, 185D, 185E, A185E, A185F | 3A24 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|---|--|--------------------|--|---|------|
| Textron Aviation Inc. (Textron Aviation Inc.) [Cessna Aircraft Company] | 190, 195 (LC-126A,B,C), 195A, 195B | A-790 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Textron Aviation Inc. (Textron Aviation Inc.) [Cessna Aircraft Company] | 206, P206, P206A, P206B, P206C, P206D, P206E, TP206A, TP206B, TP206C, TP206D, TP206E, U206, U206A, U206B, U206C, U206D, U206E, U206F, U206G, TU206A, TU206B, TU206C, TU206D, TU206E, TU206F, TU206G, 206H, T206H | A4CE | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Textron Aviation Inc. (Textron Aviation Inc.) [Cessna Aircraft Company] | 207, T207 | A16CE | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|---|---|--------------------|--|---|------|
| Textron Aviation Inc. (Textron Aviation Inc.) [Cessna Aircraft Company] | 210, 210A, 210B, 210C, 210D, 210E, 210F, T210F, 210G, T210G, 210H, T210H, 210J, T210J, 210K, T210K, 210L, T210L, 210M, T210M, 210N, T210N, 210R, T210R, 210-5 (205), 210-5A (205A), | 3A21 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Trident (Viking Air, Ltd.) | TR-1 | A19EA | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| True Flight Holdings LLC (True Flight Holdings LLC) [American General] | AA-5, AA-5A, AA-5B, AG-5B | A16EA | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| True Flight Holdings LLC (True Flight Holdings LLC) [American General] | AA-1, AA-1A, AA-1B, AA-1C | A11EA | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|---|---------------------------------|--------------------|--|---|------|
| Univair (Univair Corporation) [Stinson] | 108, 108-1, 108-2, 108-3, 108-5 | A-767 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| WACO (The WACO Aircraft Company) | YMF | ATC 542 | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| WACO Classic Aircraft Corporation (Great Lakes Aircraft Company) | 2T-1A 2T-1A-1 2T-1A-2 | A18EA | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| Zenair (Zenair Ltd.) | CH2000 | TA5CH | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

**APPROVED MODEL LIST (AML) SA02594SE
FOR
INSTALLATION OF THE SKYVIEW HDX INSTRUMENTATION AND AUTOPILOT SYSTEM**

| AIRCRAFT MAKE | AIRCRAFT MODEL | ORIGINAL TC NUMBER | CERTIFICATION BASIS FOR ALTERATION | FAA APPROVED DOCUMENTATION * | NOTE |
|---|----------------|--------------------|--|---|------|
| ZLIN Aircraft a.s. (ZLIN Aircraft a.s.) [Moravan a.s.] | Z-242L, Z-143L | A76EU | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |
| ZLIN Aircraft a.s. (ZLIN Aircraft a.s.) [Moravan a.s.] | ZLIN 562L | A30EU | Unchanged from TCDS except electrical systems requirements at Amdt 63 and HIRF and lightning at Amdt 64. | Installation Manual: 103261-000, Revision D, Dated 7/2/2019 Airplane Flight Manual Supplement: 103272-000, Revision G dated 7/2/2019 Instructions for Continued Airworthiness: 103221-000, Revision E dated 6/24/2019 | (1) |

* Or Later FAA Approved Revision

Notes:

(1) Autopilot Installation Not Approved